

Append and Delete

You have two strings of lowercase English letters. You can perform two types of operations on the first string:

1. *Append* a lowercase English letter to the end of the string.
2. *Delete* the last character of the string. Performing this operation on an empty string results in an empty string.

Given an integer, k , and two strings, s and t , determine whether or not you can convert s to t by performing *exactly* k of the above operations on s . If it's possible, print **Yes**. Otherwise, print **No**.

Example. $s = [a, b, c]$

$t = [d, e, f]$

$k = 6$

To convert s to t , we first delete all of the characters in **3** moves. Next we add each of the characters of t in order. On the **6th** move, you will have the matching string. Return **Yes**.

If there were more moves available, they could have been eliminated by performing multiple deletions on an empty string. If there were fewer than **6** moves, we would not have succeeded in creating the new string.

Function Description

Complete the `appendAndDelete` function in the editor below. It should return a string, either **Yes** or **No**.

`appendAndDelete` has the following parameter(s):

- *string s*: the initial string
- *string t*: the desired string
- *int k*: the exact number of operations that must be performed

Returns

- *string*: either **Yes** or **No**

Input Format

The first line contains a string s , the initial string.

The second line contains a string t , the desired final string.

The third line contains an integer k , the number of operations.

Constraints

- $1 \leq |s| \leq 100$
- $1 \leq |t| \leq 100$

- $1 \leq k \leq 100$

- s and t consist of lowercase English letters, `ascii[a-z]`.

Sample Input 0

```
hackerhappy
hackerrank
9
```

Sample Output 0

```
Yes
```

Explanation 0

We perform **5** delete operations to reduce string s to `hacker`. Next, we perform **4** append operations (i.e., `r`, `a`, `n`, and `k`), to get `hackerrank`. Because we were able to convert s to t by performing exactly $k = 9$ operations, we return `Yes`.

Sample Input 1

```
aba
aba
7
```

Sample Output 1

```
Yes
```

Explanation 1

We perform **4** delete operations to reduce string s to the empty string. Recall that though the string will be empty after **3** deletions, we can still perform a delete operation on an empty string to get the empty string. Next, we perform **3** append operations (i.e., `a`, `b`, and `a`). Because we were able to convert s to t by performing exactly $k = 7$ operations, we return `Yes`.

Sample Input 2

```
ashley
ash
2
```

Sample Output 2

```
No
```

Explanation 2

To convert `ashley` to `ash` a minimum of **3** steps are needed. Hence we print `No` as answer.

