

Array and simple queries

Given two numbers N and M . N indicates the number of elements in the array $A[]$ ($1 - indexed$) and M indicates number of queries. You need to perform two types of queries on the array $A[]$.

You are given M queries. Queries can be of two types, type **1** and type **2**.

- Type 1 queries are represented as `1 i j` : Modify the given array by removing elements from i to j and adding them to the front.
- Type 2 queries are represented as `2 i j` : Modify the given array by removing elements from i to j and adding them to the back.

Your task is to simply print $|A[1] - A[N]|$ of the resulting array after the execution of M queries followed by the resulting array.

Note While adding at back or front the order of elements is preserved.

Input Format

First line consists of two space-separated integers, N and M .

Second line contains N integers, which represent the elements of the array.

M queries follow. Each line contains a query of either *type 1* or *type 2* in the form *type i j*

Constraints

$$1 \leq N, M \leq 10^5$$

$$1 \leq A[i] \leq 10^9$$

$$1 \leq i \leq j \leq N$$

Output Format

Print the absolute value i.e. $abs(A[1] - A[N])$ in the first line.

Print elements of the resulting array in the second line. Each element should be separated by a single space.

Sample Input

```
8 4
1 2 3 4 5 6 7 8
1 2 4
2 3 5
1 4 7
2 1 4
```

Sample Output

```
1
```

Explanation

Given array is $\{1, 2, 3, 4, 5, 6, 7, 8\}$.

After execution of query **1 2 4**, the array becomes $\{2, 3, 4, 1, 5, 6, 7, 8\}$.

After execution of query **2 3 5**, the array becomes $\{2, 3, 6, 7, 8, 4, 1, 5\}$.

After execution of query **1 4 7**, the array becomes $\{7, 8, 4, 1, 2, 3, 6, 5\}$.

After execution of query **2 1 4**, the array becomes $\{2, 3, 6, 5, 7, 8, 4, 1\}$.

Now $|A[1] - A[N]|$ is $|(2 - 1)|$ i.e. 1 and the array is **23657841**