

Arrays: Left Rotation

A *left rotation* operation on an array shifts each of the array's elements **1** unit to the left. For example, if **2** left rotations are performed on array **[1, 2, 3, 4, 5]**, then the array would become **[3, 4, 5, 1, 2]**. Note that the lowest index item moves to the highest index in a rotation. This is called a *circular array*.

Given an array ***a*** of ***n*** integers and a number, ***d***, perform ***d*** left rotations on the array. Return the updated array to be printed as a single line of space-separated integers.

Function Description

Complete the function *rotLeft* in the editor below.

rotLeft has the following parameter(s):

- *int a[n]*: the array to rotate
- *int d*: the number of rotations

Returns

- *int a'[n]*: the rotated array

Input Format

The first line contains two space-separated integers ***n*** and ***d***, the size of ***a*** and the number of left rotations.

The second line contains ***n*** space-separated integers, each an ***a[i]***.

Constraints

- $1 \leq n \leq 10^5$
- $1 \leq d \leq n$
- $1 \leq a[i] \leq 10^6$

Sample Input

```
5 4
1 2 3 4 5
```

Sample Output

```
5 1 2 3 4
```

Explanation

When we perform ***d* = 4** left rotations, the array undergoes the following sequence of changes:

$$[1, 2, 3, 4, 5] \rightarrow [2, 3, 4, 5, 1] \rightarrow [3, 4, 5, 1, 2] \rightarrow [4, 5, 1, 2, 3] \rightarrow [5, 1, 2, 3, 4]$$

