

Recursion: Davis' Staircase

Davis has a number of staircases in his house and he likes to climb each staircase **1**, **2**, or **3** steps at a time. Being a very precocious child, he wonders how many ways there are to reach the top of the staircase.

Given the respective heights for each of the *s* staircases in his house, find and print the number of ways he can climb each staircase, module $10^{10} + 7$ on a new line.

Example

$n = 5$

The staircase has **5** steps. Davis can step on the following sequences of steps:

```
1 1 1 1 1
1 1 1 2
1 1 2 1
1 2 1 1
2 1 1 1
1 2 2
2 2 1
2 1 2
1 1 3
1 3 1
3 1 1
2 3
3 2
```

There are **13** possible ways he can take these **5** steps and **13 modulo 10000000007 = 13**

Function Description

Complete the *stepPerms* function using recursion in the editor below.

stepPerms has the following parameter(s):

- *int n*: the number of stairs in the staircase

Returns

- *int*: the number of ways Davis can climb the staircase, modulo 10000000007

Input Format

The first line contains a single integer, *s*, the number of staircases in his house.
Each of the following *s* lines contains a single integer, *n*, the height of staircase *i*.

Constraints

- $1 \leq s \leq 5$
- $1 \leq n \leq 36$

Subtasks

- $1 \leq n \leq 20$ for 50% of the maximum score.

Sample Input

```
STDIN  Function
-----  -
3      s = 3 (number of staircases)
1      first staircase n = 1
3      second n = 3
7      third n = 7
```

Sample Output

```
1
4
44
```

Explanation

Let's calculate the number of ways of climbing the first two of the Davis' $s = 3$ staircases:

1. The first staircase only has $n = 1$ step, so there is only one way for him to climb it (i.e., by jumping 1 step). Thus, we print 1 on a new line.
2. The second staircase has $n = 3$ steps and he can climb it in any of the four following ways:
 1. $1 \rightarrow 1 \rightarrow 1$
 2. $1 \rightarrow 2$
 3. $2 \rightarrow 1$
 4. 3

Thus, we print 4 on a new line.