Frequency Queries



You are given q queries. Each query is of the form two integers described below:

- 1 x: Insert x in your data structure.
- 2 y: Delete one occurence of y from your data structure, if present.
- 3 z: Check if any integer is present whose frequency is exactly z. If yes, print 1 else 0.

The queries are given in the form of a 2-D array queries of size q where queries[i][0] contains the operation, and queries[i][1] contains the data element.

Example

queries = [(1,1), (2,2), (3,2), (1,1), (1,1), (2,1), (3,2)]

The results of each operation are:

```
Operation Array
                     Output
(1, 1)
            [1]
(2, 2)
            [1]
(3,2)
                          0
        [1,1]
(1, 1)
(1, 1)
            [1,1,1]
(2, 1)
            [1, 1]
(3,2)
                          1
```

Return an array with the output: [0, 1].

Function Description

Complete the *freqQuery* function in the editor below.

freqQuery has the following parameter(s):

• *int queries[q][2]:* a 2-d array of integers

Returns

- *int[]:* the results of queries of type 3

Input Format

The first line contains of an integer q, the number of queries. Each of the next q lines contains two space-separated integers, queries[i][0] and queries[i][1].

Constraints

- $1 \leq q \leq 10^5$
- $1 \leq x, y, z \leq 10^9$
- All $queries[i][0] \in \{1,2,3\}$
- $1 \leq queries[i][1] \leq 10^9$

Sample Output 0

0 1

Explanation 0

For the first query of type 3, there is no integer whose frequency is 2 (array = [5, 6]). So answer is 0. For the second query of type 3, there are two integers in array = [6, 10, 10, 6] whose frequency is 2 (integers = 6 and 10). So, the answer is 1.

Sample Input 1

Sample Output 1

0 1

Explanation 1

For the first query of type 3, there is no integer of frequency 4. The answer is 0. For the second query of type 3, there is one integer, 16 of frequency 1 so the answer is 1.

Sample Input 2

Sample Output 2

```
0
1
1
```

Explanation 2

When the first output query is run, the array is empty. We insert two 4's and two 5's before the second output query, arr = [4, 5, 5, 4] so there are two instances of elements occurring twice. We delete a 4 and run the same query. Now only the instances of 5 satisfy the query.