

# Java Comparator

Comparators are used to compare two objects. In this challenge, you'll create a comparator and use it to sort an array.

The *Player* class is provided for you in your editor. It has **2** fields: a *name* String and a *score* integer.

Given an array of *n* *Player* objects, write a comparator that sorts them in order of decreasing score; if **2** or more players have the same score, sort those players alphabetically by name. To do this, you must create a *Checker* class that implements the *Comparator* interface, then write an *int compare(Player a, Player b)* method implementing the [Comparator.compare\(T o1, T o2\)](#) method.

## Input Format

Input from stdin is handled by the locked stub code in the *Solution* class.

The first line contains an integer, *n*, denoting the number of players.

Each of the *n* subsequent lines contains a player's *name* and *score*, respectively.

## Constraints

- $0 \leq \textit{score} \leq 1000$
- **2** players can have the same name.
- Player names consist of lowercase English letters.

## Output Format

You are not responsible for printing any output to stdout. The locked stub code in *Solution* will create a *Checker* object, use it to sort the *Player* array, and print each sorted element.

## Sample Input

```
5
amy 100
david 100
heraldo 50
aakansha 75
aleksa 150
```

## Sample Output

```
aleksa 150
amy 100
david 100
aakansha 75
heraldo 50
```