


Jenny's Subtrees

Jenny loves experimenting with [trees](#). Her favorite tree has n nodes connected by $n - 1$ edges, and each edge is 1 unit in length. She wants to cut a *subtree* (i.e., a connected part of the original tree) of radius r from this tree by performing the following two steps:

1. Choose a node, x , from the tree.
2. Cut a subtree consisting of *all* nodes which are *not further* than r units from node x .

For example, the blue nodes in the diagram below depict a subtree centered at $x = 1$ that has radius $r = 2$:



Given n , r , and the definition of Jenny's tree, find and print the number of *different* subtrees she can cut out. Two subtrees are considered to be different if they are not [isomorphic](#).

Input Format

The first line contains two space-separated integers denoting the respective values of n and r . Each of the next $n - 1$ subsequent lines contains two space-separated integers, x and y , describing a bidirectional edge in Jenny's tree having length 1.

Constraints

- $1 \leq n \leq 3000$
- $0 \leq r \leq 3000$
- $1 \leq x, y \leq n$

Subtasks

For 50% of the max score:

- $1 \leq n \leq 500$
- $0 \leq r \leq 500$

Output Format

Print the total number of different possible subtrees.

Sample Input 0


```
7 1
1 2
1 3
1 4
1 5
2 6
2 7
```

Sample Output 0

3

Explanation 0

In the diagram below, blue nodes denote the possible subtrees:



The last 5 subtrees are considered to be the same (i.e., they all consist of two nodes connected by one edge), so we print **3** as our answer.

Sample Input 1


```
7 3
1 2
2 3
3 4
4 5
5 6
6 7
```

Sample Output 1

4

Explanation 1

In the diagram below, blue nodes denote the possible subtrees:



Here, we have four possible different subtrees.