

A tree of  $P$  nodes is an un-directed connected graph having  $P - 1$  edges. Let us denote  $R$  as the root node. If  $A$  is a node such that it is at a distance of  $L$  from  $R$ , and  $B$  is a node such that it is at distance of  $L + 1$  from  $R$  and  $A$  is connected to  $B$ , then we call  $A$  as the parent of  $B$ .

Similarly, if  $A$  is at a distance of  $L$  from  $R$  and  $B$  is at a distance of  $L + K$  from  $R$  and there is a path of length  $K$  from  $A$  to  $B$ , then we call  $A$  as the  $K^{\text{th}}$  parent of  $B$ .

Susan likes to play with graphs and Tree data structure is one of her favorites. She has designed a problem and wants to know if anyone can solve it. Sometimes she adds or removes a leaf node. Your task is to figure out the  $K^{\text{th}}$  parent of a node at any instant.

## Input Format

The first line contain an integer  $T$  denoting the number of test cases.  $T$  test cases follow. First line of each test case contains an integer  $P$ , the number of nodes in the tree.  $P$  lines follows each containing two integers  $X$  and  $Y$  separated by a single space denoting  $Y$  as the parent of  $X$ . If  $Y$  is  $0$ , then  $X$  is the root node of the tree. ( $0$  is for namesake and is not in the tree).

The next line contains an integer  $Q$ , the number of queries.

$Q$  lines follow each containing a query.

- $0\ Y\ X$  :  $X$  is added as a new leaf node whose parent is  $Y$ .  $X$  is not in the tree while  $Y$  is in.
- $1\ X$  : This tells that leaf node  $X$  is removed from the tree.  $X$  is a leaf in the tree.
- $2\ X\ K$  : In this query output the  $K^{\text{th}}$  parent of  $X$ .  $X$  is a node in the tree.

## Note

- Each node index is any number between 1 and  $10^5$  i.e., a tree with a single node can have its root indexed as  $10^5$

## Constraints

$$\begin{aligned} 1 &\leq T \leq 3 \\ 1 &\leq P \leq 10^5 \\ 1 &\leq Q \leq 10^5 \\ 1 &\leq X \leq 10^5 \\ 0 &\leq Y \leq 10^5 \\ 1 &\leq K \leq 10^5 \end{aligned}$$

## Output Format

For each query of type **2**, output the  $K^{\text{th}}$  parent of  $X$ . If  $K^{\text{th}}$  parent doesn't exist, output **0** and if the node doesn't exist, output **0**.

## Sample Input

```
2
7
2 0
5 2
3 5
7 5
9 8
8 2
6 8
10
0 5 15
2 15 2
1 3
0 15 20
0 20 13
2 13 4
2 13 3
2 6 10
2 11 1
2 9 1
1
10000 0
3
0 10000 4
1 4
2 4 1
```

Sample Output

```
2
2
5
0
0
8
0
```

Explanation

There are 2 test cases. The first test case has 7 nodes with 2 as its root. There are 10 queries

- 0 5 15 -> 15 is added as a leaf node to 5.
- 2 15 2 -> 2nd parent of 15 is 15->5->2 is 2.
- 1 3 -> leaf node 3 is removed from the tree.
- 0 15 20 -> 20 is added as a leaf node to 15.
- 0 20 13 -> 13 is added as a leaf node to 20.
- 2 13 4 -> 4th parent of 13 is 2.
- 2 13 3 -> 3rd parent of 13 is 5.
- 2 6 10 -> there is no 10th parent of 6 and hence 0.
- 2 11 1 -> 11 is not a node in the tree, hence 0.
- 2 9 1 -> 9's parent is 8.

the second testcase has a tree with only 1 node (10000).

- 0 10000 4 -> 4 is added as a leaf node to 10000.
- 1 4 -> 4 is removed.
- 2 4 1 -> as 4 is already removed, answer is 0.