# Mangoes

# HackerRank

It's the time of the year when fresh mangoes are available. Bob has a very good day at his school today and decides to treat some of his friends with mangoes. There are *N* people in his friend circle, and he has *M* mangoes. Initial appetite level of the friends is represented by an array  $a = \{a[1], a[2], ..., a[N]\}$ , where a[1] represents appetite level of first friend, a[2] represents appetite level of second friend, and so on. Apart from this, each friend has a happiness factor which is represented by an array  $h = \{h[1], h[2], ..., h[N]\}$ . If *i*<sup>th</sup> friend is invited to the party, and he finds that there are *p* other friends, then he will eat a[i] + p\*h[i] mangoes.

Thus, if *k* friends, indexed  $b = \{b_1, b_2...b_k\}$ , are invited to party, then total number of mangoes consumed will be  $(a[b_1]+(k-1)*h[b_1]) + (a[b_2]+(k-1)*h[b_2]) + ... + (a[b_k]+(k-1)*h[b_k])$ .

For example, if there are N = 5 friends whose initial appetite is represented by  $a = \{2, 5, 3, 2, 4\}$  and happiness factor is represented by  $h = \{30, 40, 10, 20, 30\}$ . Suppose Bob invites k = 3 friends, indexed  $\{2, 4, 5\}$ , then total number of mangoes eaten will be

```
= (a[2]+(3-1)*h[2]) + (a[4]+(3-1)*h[4]) + (a[5]+(3-1)*h[5])
= (5+2*40) + (2+2*20) + (4+2*30)
= 85 + 42 + 64
= 191
```

Bob is wondering what is the maximum number of friends he can invite to his treat, so that, their hunger can be completely satisfied.

*Note:* It is not necessary that all mangoes have to be consumed.

#### Input

The first line contains two space separated integers, N M, where N is the number of friends, and M is the number of mangoes Bob has. Then in next line follows N space separated integers, a[1], a[2],..., a[N], which represent the initial appetite of friends. In next line there are again N space separated integers, h[1], h[2],..., h[N], representing the happiness factor for friends.

#### Output

Print the maximum number of friends which Bob can invite to his treat.

#### Constraints

$$\begin{split} &1 \leq N \leq 5 * 10^4 \\ &1 \leq M \leq 2.5 * 10^{15} \\ &1 \leq a[i], h[i] \leq 10^6 \text{ , where } i \in [1, N] \end{split}$$

#### Sample Input #00

5 200 2 5 3 2 4 30 40 10 20 30

#### Sample Output #00

3

### Sample Input #01

## Sample Output #00

2

#### Explanation

*Test Case #00:* This case is explaned in the statement.

*Test Case #01:* We can call both people. They will consume (3 + 1 \* 1) + (4 + 1 \* 2) = 4 + 6 = 10 mangoes. Hence, only 10 mangoes are consumed.

Tested by: abhiranjan