

Given a string of lowercase letters in the range `ascii[a-z]`, determine the index of a character that can be removed to make the string a [palindrome](#). There may be more than one solution, but any will do. If the word is already a palindrome or there is no solution, return `-1`. Otherwise, return the index of a character to remove.

### Example

`s = "bcbc"`

Either remove `'b'` at index `0` or `'c'` at index `3`.

### Function Description

Complete the `palindromeIndex` function in the editor below.

`palindromeIndex` has the following parameter(s):

- *string s*: a string to analyze

### Returns

- *int*: the index of the character to remove or `-1`

### Input Format

The first line contains an integer *q*, the number of queries.  
Each of the next *q* lines contains a query string *s*.

### Constraints

- $1 \leq q \leq 20$
- $1 \leq \text{length of } s \leq 10^5 + 5$
- All characters are in the range `ascii[a-z]`.

### Sample Input

STDIN	Function
-----	-----
3	q = 3
aaab	s = 'aaab' (first query)
baa	s = 'baa' (second query)
aaa	s = 'aaa' (third query)

### Sample Output

3
0
-1

## Explanation

*Query 1: "aaab"*

Removing 'b' at index **3** results in a palindrome, so return **3**.

*Query 2: "baa"*

Removing 'b' at index **0** results in a palindrome, so return **0**.

*Query 3: "aaa"*

This string is already a palindrome, so return **−1**. Removing any one of the characters would result in a palindrome, but this test comes first.

**Note:** The custom checker logic for this challenge is available [here](#).