

We have seen the applications of *union*, *intersection*, *difference* and *symmetric difference* operations, but these operations do not make any changes or mutations to the set.

We can use the following operations to create mutations to a set:

.update() or **|=**

Update the set by adding elements from an iterable/another set.

```
>>> H = set("Hacker")
>>> R = set("Rank")
>>> H.update(R)
>>> print H
set(['a', 'c', 'e', 'H', 'k', 'n', 'r', 'R'])
```

.intersection_update() or **&=**

Update the set by keeping only the elements found in it and an iterable/another set.

```
>>> H = set("Hacker")
>>> R = set("Rank")
>>> H.intersection_update(R)
>>> print H
set(['a', 'k'])
```

.difference_update() or **-=**

Update the set by removing elements found in an iterable/another set.

```
>>> H = set("Hacker")
>>> R = set("Rank")
>>> H.difference_update(R)
>>> print H
set(['c', 'e', 'H', 'r'])
```

.symmetric_difference_update() or **^=**

Update the set by only keeping the elements found in either set, but not in both.

```
>>> H = set("Hacker")
>>> R = set("Rank")
>>> H.symmetric_difference_update(R)
>>> print H
set(['c', 'e', 'H', 'n', 'r', 'R'])
```

TASK

You are given a set A and N number of other sets. These N number of sets have to perform some specific mutation operations on set A .

Your task is to execute those operations and print the sum of elements from set A .

Input Format

The first line contains the number of elements in set A .
The second line contains the space separated list of elements in set A .
The third line contains integer N , the number of other sets.
The next $2 * N$ lines are divided into N parts containing two lines each.
The first line of each part contains the space separated entries of the *operation name* and the *length of the other set*.
The second line of each part contains space separated list of elements in the other set.

$0 < len(set(A)) < 1000$
 $0 < len(otherSets) < 100$
 $0 < N < 100$

Output Format

Output the sum of elements in set A .

Sample Input

```
16
1 2 3 4 5 6 7 8 9 10 11 12 13 14 24 52
4
intersection_update 10
2 3 5 6 8 9 1 4 7 11
update 2
55 66
symmetric_difference_update 5
22 7 35 62 58
difference_update 7
11 22 35 55 58 62 66
```

Sample Output

```
38
```

Explanation

After the first operation, (*intersection_update operation*), we get:
set $A = set([1, 2, 3, 4, 5, 6, 7, 8, 9, 11])$

After the second operation, (*update operation*), we get:
set $A = set([1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 55, 66])$

After the third operation, (*symmetric_difference_update operation*), we get:
set $A = set([1, 2, 3, 4, 5, 6, 8, 9, 11, 22, 35, 55, 58, 62, 66])$

After the fourth operation, (*difference_update operation*), we get:
set $A = set([1, 2, 3, 4, 5, 6, 8, 9])$

The sum of elements in set A after these operations is **38**.