

# Security Permutations

Consider a function  $f : X \rightarrow X$  where  $X$  is any set.

If  $f$  is a bijection, then  $f$  is a permutation function of  $X$ . There is nothing special about the set  $X$ . It can be replaced by the set  $\{1, 2, 3, \dots, n\}$  where  $n = |X|$ .

Consider a permutation  $f$  given by  $(2, 3, 1)$ . This means that  $f(1) = 2$ ,  $f(2) = 3$  and  $f(3) = 1$ .

In this task, you're given a permutation  $f : \{1, 2, 3, \dots, n\} \rightarrow \{1, 2, 3, \dots, n\}$ .

Output  $f(f(x))$  for all  $x \in \{1, 2, 3, \dots, n\}$ .

## Constraints

$$1 \leq n \leq 20$$

## Input Format

There are 2 lines in the input.

The first line contains a single positive integer  $n$ .

The second line contains  $n$  space separated integers, the values of  $f(1)$ ,  $f(2)$ ,  $f(3)$ , ...,  $f(n)$ , respectively.

## Output Format

On separate lines, output the values of  $f(f(1))$ ,  $f(f(2))$ ,  $f(f(3))$ , ...,  $f(f(n))$ , respectively.

## Sample Input

```
3
2 3 1
```

## Sample Output

```
3
1
2
```

## Explanation

$f(f(1)) = f(2) = 3$  and so on.