

You are a waiter at a party. There is a pile of numbered plates. Create an empty *answers* array. At each iteration,  $i$ , remove each plate from the top of the stack in order. Determine if the number on the plate is evenly divisible by the  $i^{\text{th}}$  prime number. If it is, stack it in pile  $B_i$ . Otherwise, stack it in stack  $A_i$ . Store the values in  $B_i$  from top to bottom in *answers*. In the next iteration, do the same with the values in stack  $A_i$ . Once the required number of iterations is complete, store the remaining values in  $A_i$  in *answers*, again from top to bottom. Return the *answers* array.

## Example

$A = [2, 3, 4, 5, 6, 7]$   
 $q = 3$

An abbreviated list of primes is  $[2, 3, 5, 7, 11, 13]$ . Stack the plates in reverse order.

$A_0 = [2, 3, 4, 5, 6, 7]$   
*answers* = []

Begin iterations. On the first iteration, check if items are divisible by 2.

$A_1 = [7, 5, 3]$   
 $B_1 = [6, 4, 2]$

Move  $B_1$  elements to *answers*.

*answers* =  $[2, 4, 6]$

On the second iteration, test if  $A_1$  elements are divisible by 3.

$A_2 = [7, 5]$   
 $B_2 = [3]$

Move  $B_2$  elements to *answers*.

*answers* =  $[2, 4, 6, 3]$

And on the third iteration, test if  $A_2$  elements are divisible by 5.

$A_3 = [7]$   
 $B_3 = [5]$

Move  $B_3$  elements to *answers*.

*answers* =  $[2, 4, 6, 3, 5]$

All iterations are complete, so move the remaining elements in  $A_3$ , from top to bottom, to *answers*.

*answers* =  $[2, 4, 6, 3, 5, 7]$ . Return this list.

## Function Description

Complete the *waiter* function in the editor below.

*waiter* has the following parameters:

- *int number[n]*: the numbers on the plates
- *int q*: the number of iterations

## Returns

- *int[n]*: the numbers on the plates after processing

## Input Format

The first line contains two space separated integers, *n* and *q*.

The next line contains *n* space separated integers representing the initial pile of plates, i.e., *A*.

## Constraints

$$1 \leq n \leq 5 \times 10^4$$

$$2 \leq \textit{number}[i] \leq 10^4$$

$$1 \leq q \leq 1200$$

## Sample Input 0

```
5 1
3 4 7 6 5
```

## Sample Output 0

```
4
6
3
7
5
```

## Explanation 0

Initially:

$$A = [3, 4, 7, 6, 5] \leftarrow \text{TOP}$$

After 1 iteration (divide by 2, the 1st prime number):

$$A_1 = [5, 7, 3] \leftarrow \text{TOP}$$

$$B_1 = [6, 4] \leftarrow \text{TOP}$$

Move *B*<sub>1</sub> elements to *answers*.

$$\textit{answers} = [4, 6]$$

All iterations are complete, so move *A*<sub>1</sub> elements to *answers*.

$$\textit{answers} = [4, 6, 3, 7, 5].$$

## Sample Input 1

```
5 2
3 3 4 4 9
```

### Sample Output 1

```
4
4
9
3
3
```

### Explanation 1

Initially:

$A = [3, 3, 4, 4, 9]$  <-TOP

After  $1^{st}$  iteration (divide by 2):

$A_1 = [9, 3, 3]$  <-TOP

$B_1 = [4, 4]$  <-TOP

Move  $B_1$  to *answers*.

$answers = [4, 4]$

After  $2^{nd}$  iteration (divide by 3):

$A_2 = []$  <- TOP

$B_2 = [3, 3, 9]$  <-TOP

Move  $B_2$  elements to *answers*.

$answers = [4, 4, 9, 3, 3]$

There are no values remaining in  $A_2$ .